

Source Pathway

AERMOD

Building Downwash Information

Option not in use

Emission Rate Units for Output

For Concentration

Unit Factor: 1E6
Emission Unit Label: GRAMS/SEC
Concentration Unit Label: MICROGRAMS/M**3

Variable Emissions

Hour / Day-of-Week Emission Rate Variation

Scenario: Scenario 1

Source ID:	A1						
Hour	Mon	Tues	Wed	Thr	Fri	Sat	Sun
1:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8:00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
9:00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
10:00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
11:00	1.00	1.00	1.00	1.00	1.00	0.00	0.00
12:00	1.00	1.00	1.00	0.00	0.00	0.00	0.00
13:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00